

Almkotter 16.70 AK

This heavy built touring boat takes you to the Mediterranean without bunkering (the range of the fuel supply is 2000 nautical miles). Plate thickness of the hull is 6 mm, the superstructure 4 mm. The ship has a double-hull tympanum with a deep fore-bow, spitsgat stern with a long continuous firm keel. In addition to a fixed wheelhouse with a comfortable aft deck, this ship provides space for a spacious saloon with split-level galley + dinette. In the aft cabin is a spacious owner's cabin with its own wet cell and in the bow 2 guest cabins with a 2nd wet cell. Great for long trips or permanent residence. Layout, interior, upholstery and painting entirely according to your wishes. Optional with 1 or 2 motors.

Specification

Category	Motor yachts
Price range	Array
Designer	Jachtbouw De Alm, Werkendam, The Netherlands
Material	Steel
Length over all	17,15m
Hull length	17,15m
Hull beam	4,95m
Draft	1,55m
Weight	33.000kg
Displacement	40ton
Fresh water tank	1.5001
Waste water tank	7501
Fuel tank capacity	5.0001
Max engine power	476hp
CE-certification	A
Berths	6
Maximum speed	9kt
Cruising speed	8kt
Motor range	2.500miles
Material	Steel
Length	15-18



info@alm-jachtbouw.nl http://www.alm-jachtbouw.nl







































