

Almkotter 13.30 AK

With its straight rear, this hekkotter / mirror cutter creates even more space in the aft cabin and on the aft deck. Naturally double chute. 5 mm plate is used for the sub-chip and 4 mm for the superstructure. The entire ship is delivered perfectly finished: insulation, paneling (in teak, mahogany or ash). Interior trim with rounded corners, decorative laths and curtain coves. The technical installation is also perfectly executed, as is the electrical installation and kitchen equipment. Painting in 2-component colour and upholstery of your choice. And we prefer not to talk too much about the layout, not yet, because you will decide for yourself.

Specification

Category	Motor yachts
Price range	Array
Designer	Jachtbouw De Alm, Werkendam, The Netherlands
Material	Steel
Length over all	14m
Hull length	14,1m
Hull beam	4,35m
Draft	1,25m
Weight	21.000kg
Displacement	21ton
Fresh water tank	1.0001
Waste water tank	2801
Fuel tank capacity	1.2001
Max engine power	204hp
CE-certification	В
Berths	4 + 2
Maximum speed	8,5kt
Cruising speed	7,5kt
Motor range	2.000miles
Material	Steel
Length	12-15



Fax

info@alm-jachtbouw.nl http://www.alm-jachtbouw.nl

































